



We make it easy
to stay cool.





ABOUT US

Welcome to **Stellar Gastronom**, your trusted partner in commercial refrigeration solutions. With a legacy of innovation and excellence, we have been at the forefront of the industry, providing top-quality refrigeration equipment tailored to the needs of our clients across India.

Our Story: Established in 1994, Stellar Gastronom has been in business for 30 years as a leading manufacturer of commercial refrigeration solutions. Our journey began with a vision to revolutionize the way businesses preserve and showcase their products. Through dedication, ingenuity, and a commitment to quality, we have steadily grown to become a preferred choice for customers across restaurants, hotels, institutes, and corporates.

Our Mission: Our mission is simple yet profound: to empower businesses with reliable, energy-efficient, and innovative refrigeration solutions that enhance efficiency, sustainability, and profitability.

We strive to exceed the expectations of our customers by delivering unparalleled products and exceptional service, every step of the way.

OUR VALUES

Integrity: We conduct our business with honesty, transparency, and ethical practices, building trust and fostering long-term relationships with our customers, partners, and stakeholders.


Innovation: We embrace innovation as a driving force behind everything we do, continuously seeking new technologies and methodologies to enhance our products' performance and efficiency.


Quality: We are committed to excellence in every aspect of our operations, from product design and manufacturing to customer service and support.

Customer Focus: We prioritize the needs of our customers, listening attentively to their feedback and customizing solutions to meet their specific requirements.

Sustainability: We are committed to environmental responsibility, striving to minimize our carbon footprint and promote sustainable practices throughout our operations. Our energy-efficient refrigeration solutions help businesses reduce their environmental impact while lowering operating costs.

Contents





Upright Chillers & Freezers
Counter Chillers & Freezers
Sandwich & Pizza Preparation Tables
Refrigerated Displays & Showcases
Bar Refrigeration
Ice Cube Machines
Chest Freezers
Blast Chillers & Freezers
Cold Rooms
Hot Holding Cabinets
Counter Top and Drop in Equipment

Upright Chillers & Freezers

Upright Chillers & Freezers

Polar Line



Our **Polar** range of spacious upright commercial refrigerators offer unbeatable value for your investment. With a focus on value-driven performance, these machines combine capacity and reliability in a way that will transform your kitchen.

TECHNICAL SPECIFICATIONS:

- ❄️ Ventilated Refrigeration for Uniform Cooling
- ❄️ Sturdy Stainless Steel Construction
- ❄️ Designed to Operate at 43°C Ambient
- ❄️ Cyclopentane PUF Insulation Providing Greater Energy Efficiency
- ❄️ Eco Friendly Refrigerant
- ❄️ Automatic Defrost Cycle
- ❄️ Anti-Corrosive Wire Shelves

Model	Title	Dimensions (mm)	Volume (L)	Temp Range	Electrical Rating
UC 580 HD	2 Door Upright Commercial Refrigerator	615 x 760 x 2005	550	2° to 6°C	230 V / 1 PH / 0.20 KW
UC 1160 HD	4 Door Upright Commercial Refrigerator	1230 x 760 x 2005	1100	2° to 6°C	230 V / 1 PH / 0.27 KW
UF 580 HD	2 Door Upright Commercial Refrigerator	615 x 760 x 2005	550	-22° to -18°C	230 V / 1 PH / 0.55 KW
UF 1160 HD	4 Door Upright Commercial Refrigerator	1230 x 760 x 2005	1100	-22° to -18°C	230 V / 1 PH / 0.70 KW



Forced Draft Cooling



Digital Controller



Self Closing Doors



Suitable for 43°C Ambient



Adjustable Shelves



Castor Wheels

Upright Chillers & Freezers

Prime Line



Experience exceptional performance in a compact design with our **Prime** range of upright commercial refrigerators. Engineered for maximum efficiency and reliability, our these deliver high-performance cooling in a space-saving footprint. Enjoy unparalleled storage capacity without sacrificing quality. Rely on our compact yet powerful refrigerators to elevate your culinary operations to new heights

TECHNICAL SPECIFICATIONS:

- * Ventilated Refrigeration for Uniform Cooling
- * Designed to Operate at 43°C Ambient
- * Eco-friendly and Energy Efficient R290 Refrigerant
- * Cyclopentane PUF Insulation Providing Greater Energy Efficiency
- * High Efficiency Copper Heat Exchangers with Aluminium Fins
- * Sturdy Stainless Steel Construction
- * Compressor Brand: Embraco/Secop
- * Anti-Corrosive Wire Shelves
- * Automatic Defrost Cycle

Model	Title	Dimensions (mm)	Volume (L)	Temp Range	Electrical Rating
UC 600 HD	2 Door Upright Chiller	700 x 860 x 2000	625	2° to 6°C	230 V / 1 PH / 0.25 KW
UC 1200 HD	4 Door Upright Chiller	1360 x 860 x 2000	1250	2° to 6°C	230 V / 1 PH / 0.30 KW
UF 600 HD	2 Door Upright Freezer	700 x 860 x 2000	625	-22° to -18°C	230 V / 1 PH / 0.55 KW
UF 1200 HD	4 Door Upright Freezer	1360 x 860 x 2000	1250	-22° to -18°C	230 V / 1 PH / 0.72 KW



Forced Draft
Cooling



Digital
Controller



Self Closing
Doors



GN
Compatible



Adjustable
Shelves



Castor
Wheels

Upright Chillers & Freezers

Zenith *Line*

Elevate your kitchen with our premium range of **Zenith** upright refrigerators, setting the standard for excellence in commercial refrigeration. Crafted with high-grade insulation and cutting-edge technology, these refrigerators deliver unparalleled energy efficiency, keeping operating costs low without compromising performance. Whisper-quiet operation and eco-friendly features underscore our commitment to sustainability. Experience precise temperature control and uniform cooling throughout, guaranteeing optimal freshness for your ingredients.



F 0 2H

F 0 2H

TECHNICAL SPECIFICATIONS:

- ❄ High Density 90mm Cyclopentane PUF Insulation Providing Greater Energy Efficiency
- ❄ Ventilated Refrigeration for Uniform Cooling
- ❄ Sturdy Construction with Our Premium Stainless Steel Finish
- ❄ Designed to Operate at 43 Deg C Ambient
- ❄ Cyclopentane PUF Insulation Providing Greater Energy Efficiency
- ❄ Eco-friendly & Energy Efficient R290 Refrigerant
- ❄ Automatic Defrost Cycle
- ❄ High Efficiency Copper Heat Exchangers with Aluminium Fins
- ❄ Anti-Corrosive Wire Shelves
- ❄ Stainless Steel Interior (304 Grade)

Model	Title	Dimensions (mm)	Volume (L)	Temp Range	Electrical Rating
UC 710 HD	2 Door Upright Chiller	740 x 830 x 2010	675	2° to 6°C	230 V / 1 PH / 0.22 KW
UC 1410 HD	4 Door Upright Chiller	1480 x 830 x 2010	1400	2° to 6°C	230 V / 1 PH / 0.28 KW
UF 710 HD	2 Door Upright Freezer	740 x 830 x 2010	675	-22° to -18°C	230 V / 1 PH / 0.55 KW
UF 1410 HD	4 Door Upright Freezer	1480 x 830 x 2010	1400	-22° to -18°C	230 V / 1 PH / 0.70 KW



Forced Draft Cooling



Digital Controller



Self Closing Doors



GN Compatible



Adjustable Shelves



Castor Wheels

Counter Chillers & Freezers

Counter Chillers & Freezers

Polar Line

Our sturdy and spacious **Polar** range of counter chillers are designed to meet the demands of busy commercial kitchens. Built with robust construction, these counter chillers are engineered to withstand heavy use while providing ample storage capacity for your perishables. Our counters are compact and use slim units letting you maximize your kitchen space without sacrificing storage.

TECHNICAL SPECIFICATIONS:

- ❄ Ventilated Refrigeration for Uniform Cooling
- ❄ Sturdy Stainless Steel Construction
- ❄ Worktop with High Thickness to Withstand Greater Weight
- ❄ Designed to Operate at 43 Deg C Ambient
- ❄ Eco-Friendly Refrigerant
- ❄ Cyclopentane PUF Insulation Providing Greater Energy Efficiency
- ❄ Automatic Defrost Cycle
- ❄ Anti-Corrosive Wire Shelves



Model	Title	Dimensions (mm)	Volume (L)	Temp Range	Electrical Rating
CC 2	2 Door Counter Chiller	1220 x 700 x 850	300	2° to 6°C	230 V / 1 PH / 0.25 KW
CC 3	3 Door Counter Chiller	1690 x 700 x 850	450	2° to 6°C	230 V / 1 PH / 0.25 KW
CC D 2	2 Drawer Counter Chiller	750 x 700 x 850	150	2° to 6°C	230 V / 1 PH / 0.25 KW
CC D 4	4 Drawer Counter Chiller	1220 x 700 x 850	300	2° to 6°C	230 V / 1 PH / 0.25 KW
CC D 6	6 Drawer Counter Chiller	1690 x 700 x 850	450	2° to 6°C	230 V / 1 PH / 0.25 KW
CF 2	2 Door Counter Freezer	1220 x 700 x 850	300	-22° to -18°C	230 V / 1 PH / 0.40 KW
CF 3	3 Door Counter Freezer	1690 x 700 x 850	450	-22° to -18°C	230 V / 1 PH / 0.50 KW



**Forced Draft
Cooling**



**Digital
Controller**



**GN
Compatible**



**With
Lock**



**Adjustable
Shelves**



**Slim
Units**

Counter Chillers
& Freezers

Supreme Line



Experience the pinnacle of performance with our **Supreme** range of counter chillers, meticulously crafted to elevate your kitchen to new heights of excellence. Engineered with precision and luxury in mind, these counter chillers boast exceptional durability, ensuring they withstand the rigors of daily commercial use with ease. With generous storage capacity and innovative design features, our premium counter chillers provide unparalleled organization and convenience in your culinary space. Enjoy whisper-quiet operation, superior energy efficiency, and precise temperature control, all packaged in an elegant and sleek design.

TECHNICAL SPECIFICATIONS:

- * Forced Draft Cooling
 - * Sturdy Stainless Steel Construction
 - * High Efficiency Copper Heat Exchangers with Aluminium Fins
 - * Refrigerated Storage Cabinet Underneath
 - * Optional: Remote Access Through Wireless Controllers
 - * Cyclopentane PUF Insulation Providing Greater Energy Efficiency
- * Automatic Defrost Cycle
 - * Eco Friendly Refrigerant
 - * Anti-Corrosive Wire Shelves
 - * Stainless Steel Interior (304 Grade)
 - * Designed to Operate at 43°C Ambient
 - * Larger Worktops with High Thickness to Withstand Greater Weight

Model	Title	Dimensions (mm)	Volume (L)	Temp Range	Electrical Rating
SG CC 2	2 Door Counter Chiller	1220 x 700 x 850	290	2° to 6°C	230 V / 1 PH / 0.25 KW
SG CC 3	3 Door Counter Chiller	1690 x 700 x 850	435	2° to 6°C	230 V / 1 PH / 0.25 KW
SG CF 2	2 Door Counter Freezer	1220 x 700 x 850	290	-22° to -18°C	230 V / 1 PH / 0.40 KW
SG CF 3	3 Door Counter Freezer	1690 x 700 x 850	435	-22° to -18°C	230 V / 1 PH / 0.50 KW

Forced Draft Cooling

Digital Controller

GN Compatible

With Lock

Adjustable Shelves

Integrated Handles

Sandwich & Pizza Preparation Tables

Sandwich & Pizza Preparation Tables

Polar Line



Our **Polar** series of sandwich and pizza preparation refrigerated tables are designed to streamline your food preparation process. These tables offer a cost-effective solution for efficiently organizing ingredients while keeping them fresh and easily accessible. With ample workspace and convenient storage options, our refrigerated tables are perfect for busy kitchens seeking efficiency and functionality.

TECHNICAL SPECIFICATIONS:

- ❄️ Ventilated Refrigeration for Uniform Cooling
 - ❄️ Sturdy Stainless Steel Construction
 - ❄️ Refrigerated Storage Cabinet Underneath
 - ❄️ Refrigerated Cold Pan on Top
 - ❄️ High Efficiency Copper Heat Exchangers with Aluminium Fins
- ❄️ Eco-Friendly Refrigerant
 - ❄️ Automatic Defrost Cycle
 - ❄️ Anti-Corrosive Wire Shelves
 - ❄️ Designed to Operate at 43 Deg C Ambient
 - ❄️ Worktop with High Thickness to Withstand Greater Weight

Model	Title	Dimensions (mm)	Volume (L)	Temp Range	Electrical Rating
SC 2	2 Door Sandwich Counter	1220 x 700 x 850	300	2° to 6°C	230 V / 1 PH / 0.25 KW
SC 3	3 Door Sandwich Counter	1690 x 700 x 850	450	2° to 6°C	230 V / 1 PH / 0.25 KW
PM 2	2 Door Pizza Makeline w/ Raised Cold Pan	1220 x 700 x 850 + 150	300	2° to 6°C	230 V / 1 PH / 0.25 KW
PM 3	3 Door Pizza Makeline w/ Raised Cold Pan	1690 x 700 x 850 + 150	450	2° to 6°C	230 V / 1 PH / 0.25 KW
PM OH 2	2 Door Pizza Makeline w/ Overhead Cold Pan	1220 x 700 x 850 + 250	300	2° to 6°C	230 V / 1 PH / 0.30 KW
PM OH 3	3 Door Pizza Makeline w/ Overhead Cold Pan	1690 x 700 x 850 + 250	450	2° to 6°C	230 V / 1 PH / 0.30 KW



Forced Draft
Cooling



Digital
Controller



GN
Compatible



With
Lock



Adjustable
Shelves



Integrated
Handles

Sandwich & Pizza Preparation Tables

PizzaCraft

Experience our exquisite **PizzaCraft** line of pizza preparation refrigerated counters. Crafted with meticulous attention to detail, these counters redefine the art of making pizzas, sandwiches and burgers. Enjoy precise temperature control ensuring optimal ingredient freshness, while the ample storage space accommodates all your culinary essentials. Designed for ease of use, every feature is thoughtfully curated to enhance efficiency, making preparing your dishes a seamless and enjoyable experience.

TECHNICAL SPECIFICATIONS:

- ❄️ Ventilated Refrigeration for Uniform Cooling
- ❄️ Sturdy Stainless Steel Construction
- ❄️ Worktop with High Thickness to Withstand Greater Weight
- ❄️ Refrigerated Storage Cabinet Underneath
- ❄️ Refrigerated Built-In Cold Pan with Lid on Top
- ❄️ Designed to Operate at 43°C Ambient
- ❄️ Eco-Friendly Refrigerant
- ❄️ Cyclopentane PUF Insulation Providing Greater Energy Efficiency
- ❄️ Automatic Defrost Cycle
- ❄️ High Efficiency Copper Heat Exchangers with Aluminium Fins
- ❄️ Anti-Corrosive Wire Shelves



Model	Title	Dimensions (mm)	Volume (Ltrs.)	Temp Range	Electrical Rating
PMZ 2	2 Door Pizza Makeline (Cold Pan with Lid)	1535 x 865 x 920 + 240	350	2° to 6°C	230 V / 1 PH / 0.30 KW
PMZ 3	3 Door Pizza Makeline (Cold Pan with Lid)	1800 x 865 x 920 + 240	500	2° to 6°C	230 V / 1 PH / 0.30 KW



Forced Draft Cooling



Digital Controller



Self Closing Doors



With Lock



Adjustable Shelves



Integrated Handles

Sandwich & Pizza Preparation Tables

GourmetPrep

Experience the epitome of sandwich preparation excellence with our meticulously crafted **GourmetPrep** counters, marrying style with functionality. Encased with a sleek glass cover, this counter not only showcases your culinary creations but also keeps them fresh for longer. Featuring a spacious top surface adorned with a handy chopping board, you'll have all the room you need. With precise temperature control, every ingredient remains at its peak, ensuring each bite is a delight.



TECHNICAL SPECIFICATIONS:

- ❄️ Ventilated Refrigeration for Uniform Cooling
- ❄️ Sturdy Stainless Steel Construction
- ❄️ Worktop with Chopping Board
- ❄️ Curved Glass Cover with Hydraulic Operation
- ❄️ Refrigerated Built-In Cold Pan on Top
- ❄️ Designed to Operate at 43 Deg C Ambient
- ❄️ Eco-Friendly Refrigerant
- ❄️ Cyclopentane PUF Insulation Providing Greater Energy Efficiency
- ❄️ Automatic Defrost Cycle
- ❄️ High Efficiency Copper Heat Exchangers with Aluminium Fins
- ❄️ Anti-Corrosive Wire Shelves
- ❄️ LED Lights for enhanced visibility

Model	Title	Dimensions (mm)	Temp Range	Electrical Rating
SCG 3F	3 Feet Sandwich Counter w/ Glass Cover	900 x 850 x 850	2° to 6°C	230 V / 1 PH / 0.25 KW
SCG 4F	4 Feet Sandwich Counter w/ Glass Cover	1200 x 850 x 850	2° to 6°C	230 V / 1 PH / 0.25 KW
SCG 5F	5 Feet Sandwich Counter w/ Glass Cover	1500 x 850 x 850	2° to 6°C	230 V / 1 PH / 0.25 KW



Forced Draft
Cooling



Digital
Controller



Slim
Units



With
Lock



Adjustable
Shelves



Integrated
Handles

Refrigerated Displays & Showcases

Refrigerated Displays & Showcases

Nova



RD

C



RD

C



D RD

Our **Nova** range of stainless steel refrigerated display showcases epitomify elegance and visual appeal and are a perfect display platform for your cakes and pastries. With precise temperature control and LED lighting, your delicacies stay fresh and captivating. Designed with aesthetic finesse, these showcases elevate the visual appeal of your treats while ensuring there is no compromise on the products taste or quality

TECHNICAL SPECIFICATIONS:

- * Ventilated Refrigeration for Uniform Cooling
- * Double Tempered & Special Heated Front Glass that Enhances Visibility & Prevents Condensation
- * Elegant Combination of Glass & Stainless Steel
- * LED Lighting Under Each Shelf
- * Automatic Defrost Cycle
- * Cyclopentane PUF Insulation Providing Greater Energy Efficiency
- * Digital Temperature Controller & Display
- * Eco-Friendly Refrigerant

Model	Title	Dimensions (mm)	Shelf Partition	Temp Range	Electrical Rating
DC 900 B2	3 Feet Display Showcase (Base Plus 2 Shelves)	900 x 660 x 1200	Base Plus 2	2° to 8°C	230 V / 1 PH / 0.25 KW
DC 1200 B2	4 Feet Display Showcase (Base Plus 2 Shelves)	1200 x 660 x 1200	Base Plus 2	2° to 8°C	230 V / 1 PH / 0.25 KW
DC 1500 B2	5 Feet Display Showcase (Base Plus 2 Shelves)	1500 x 660 x 1200	Base Plus 2	2° to 8°C	230 V / 1 PH / 0.30 KW
DC 900 B3	3 Feet Display Showcase (Base Plus 3 Shelves)	900 x 660 x 1300	Base Plus 3	2° to 8°C	230 V / 1 PH / 0.25 KW
DC 1200 B3	4 Feet Display Showcase (Base Plus 3 Shelves)	1200 x 660 x 1300	Base Plus 3	2° to 8°C	230 V / 1 PH / 0.25 KW
DC 1500 B3	5 Feet Display Showcase (Base Plus 3 Shelves)	1500 x 660 x 1300	Base Plus 3	2° to 8°C	230 V / 1 PH / 0.30 KW
DC 1800 B3	6 Feet Display Showcase (Base Plus 3 Shelves)	1800 x 660 x 1300	Base Plus 3	2° to 8°C	230 V / 1 PH / 0.30 KW
CTDC 660 RT	2 Feet Countertop Showcase	660 x 530 x 730	Base Plus 2	2° to 8°C	230 V / 1 PH / 0.20 KW
CTDC 900 RT	3 Feet Countertop Showcase	900 x 530 x 730	Base Plus 2	2° to 8°C	230 V / 1 PH / 0.20 KW



Forced Draft Cooling



Digital Controller



Heated Glass



LED Lighting



Adjustable Shelves



Slim Units

Refrigerated Displays & Showcases

Pearl

Discover sophistication with our **Pearl** line of refrigerated jewelry showcases, reimagined for storing chocolates, sweets and other treats. Crafted with extra clear glass and radiant LED lighting, these showcases exude elegance, accentuating the allure of your products. Complimenting the stunning aesthetics of the showcase is spacious refrigerated storage underneath, ensuring your delicacies are easy to restock and remain at their peak freshness.



TECHNICAL SPECIFICATIONS:

- ❄️ Ventilated Refrigeration for Uniform Cooling
- ❄️ Extra clear Front Glass that Enhances Visibility
- ❄️ Automatic Defrost Cycle
- ❄️ Elegant Combination of Glass & Stainless Steel
- ❄️ Slide out drawers for easy operation
- ❄️ Refrigerated storage cabinet underneath
- ❄️ LED Lighting
- ❄️ Digital Temperature Controller & Display
- ❄️ Eco-Friendly Refrigerant
- ❄️ Cyclopentane PUF Insulation Providing Greater Energy Efficiency
- ❄️ Optional: Black Stone Cladding Finish

Model	Title	Dimensions (mm)	Shelf Partition	Temp Range	Electrical Rating
JC 900	Jewellery Showcase (1 Door Undercounter Chiller)	900 x 700 x 1150	Base Only	2° to 8°C	230 V / 1 PH / 0.25 KW
JC 1200	Jewellery Showcase (2 Door Undercounter Chiller)	1200 x 700 x 1150	Base Only	2° to 8°C	230 V / 1 PH / 0.25 KW
JC 1500	Jewellery Showcase (2 Door Undercounter Chiller)	1500 x 700 x 1150	Base Only	2° to 8°C	230 V / 1 PH / 0.30 KW



Forced Draft
Cooling



Digital
Controller



Extra Clear
Glass



LED
Lighting



Slide Out
Drawers



Slim
Units

Refrigerated Displays & Showcases

Glacier



6/1

Experience the pinnacle of frozen delight presentation with our **Glacier** showcase crafted to showcase ice creams and gelato in their full glory. Featuring impeccable temperature control and our advanced ventilated refrigeration system, your treats are kept at optimal conditions while mesmerizing customers with their appeal. The stunning glass aesthetics and vibrant LED lighting turn every scoop into a temptation waiting to be savored.

TECHNICAL SPECIFICATIONS:

- ❄️ Ventilated Refrigeration for Uniform Cooling
 - ❄️ Double Tempered & Special Heated Front Glass that Enhances Visibility & Prevents Condensation
 - ❄️ Automatic Defrost Cycle
 - ❄️ Elegant Combination of Glass & Stainless Steel with External Lighting
- ❄️ LED Lighting Under Each Shelf
 - ❄️ Digital Temperature Controller & Display
 - ❄️ Eco-Friendly Refrigerant
 - ❄️ Cyclopentane PUF Insulation Providing Greater Energy Efficiency

Model	Title	Dimensions (mm)	Temp Range	Electrical Rating
FGD 12	Flat Glass 12 Flavour Gelato Display	1250 x 1020 x 1370	-22° to -15°C	230 V / 1 PH / 1.20 KW
FGD 16	Flat Glass 16 Flavour Gelato Display	1600 x 1020 x 1370	-22° to -15°C	230 V / 1 PH / 1.40 KW



Forced Draft
Cooling



Digital
Controller



Heated
Glass



LED
Lighting



Extra
Storage



Slim
Units

Refrigerated Displays & Showcases

ArcticVue
Visi Cooler



Our **ArcticVue** line of visi coolers are the ultimate solution for beverage storage. Engineered with precision temperature control and vibrant LED lighting, these coolers ensure your drinks stay refreshingly chilled while captivating customers with their display. With spacious interiors and unmatched reliability, these visi coolers are your trusted companion for keeping beverages cool and enticing.

TECHNICAL SPECIFICATIONS:

- ❄️ Ventilated Refrigeration for Uniform Cooling
 - ❄️ Automatic Defrost Cycle
 - ❄️ Double Tempered Front Glass that Enhances Visibility & Prevents Condensation
- ❄️ LED Lighting
 - ❄️ Eco Friendly Refrigerant
 - ❄️ Cyclopentane PUF Insulation Providing Greater Energy Efficiency

Model	Title	Dimensions (mm)	Capacity (L)	Temp Range	Electrical Rating
VC 400	Visi Cooler Single Door Standard	595 x 595 x 1995	400	2° to 8°C	230 V / 1 PH / 0.25 KW
VC 900	Visi Cooler Double Door	1200 x 590 x 1970	900	2° to 8°C	230 V / 1 PH / 0.40 KW



Forced Draft
Cooling



With
Lock



Double
Tempered Glass



LED
Lighting



Adjustable
Shelves



Slim
Units

Bar Refrigeration



CCL C



CCL C

Our sleek 'Midnight' range of back bar coolers are designed in elegant black with captivating LED lighting. Perfect for storing beverage cans and bottles, these units offer both style and functionality. With their attractive aesthetics and reliable temperature performance, these units enhance any bar or restaurant area, ensuring your drinks are always served at the perfect temperature while making a bold statement.

TECHNICAL SPECIFICATIONS:

- * Ventilated Refrigeration for Uniform Cooling
- * Double Tempered Front Glass that Enhances Visibility & Prevents Condensation
- * LED Lighting
- * Automatic Defrost Cycle
- * Cyclopentane PUF Insulation Providing Greater Energy Efficiency
- * Eco Friendly Refrigerant

Model	Title	Dimensions (mm)	Capacity (L)	Temp Range	Electrical Rating
BBC 2 BL	Two Door Back Bar Cooler Black	900 x 530 x 900	210	2° to 8°C	230 V / 1 PH / 0.25 KW
BBC 3 BL	Three Door Back Bar Cooler Black	1350 x 530 x 900	315	2° to 8°C	230 V / 1 PH / 0.25 KW



Forced Draft Cooling



Digital Controller



Double Tempered Glass



LED Lighting



Adjustable Shelves



Slim Units



CCF



30

Our **SilverBar** range of bar refrigeration machines are crafted in premium stainless steel and exude a timeless elegance. Boasting attractive LED lighting and excellent temperature retention, these units exude reliability and sophistication. With their durable construction and impeccable finish, they elevate any bar setting to a new level of refinement, ensuring your beverages and glasses are kept perfectly chilled with unmatched reliability.

TECHNICAL SPECIFICATIONS:

- ❄️ Ventilated Refrigeration for Uniform Cooling
- ❄️ Double Tempered Front Glass for Back Bar Coolers that Enhances Visibility & Prevents Condensation
- ❄️ Automatic Defrost Cycle
- ❄️ LED Lighting
- ❄️ Eco Friendly Refrigerant
- ❄️ Cyclopentane PUF Insulation Providing Greater Energy Efficiency

Model	Title	Dimensions (mm)	Capacity (L)	Temp Range	Electrical Rating
BBC 2 SS	2 Door SS Back Bar Cooler with Back Compressor	900 x 600 x 900	240	2° to 8°C	230 V / 1 PH / 0.25 KW
BBC 3 SS	3 Door SS Back Bar Cooler with Back Compressor	1350 x 600 x 900	360	2° to 8°C	230 V / 1 PH / 0.25 KW
BBC 2 SS SC	2 Door SS Back Bar Cooler with Side Compressor	1220 x 600 x 900	260	2° to 8°C	230 V / 1 PH / 0.25 KW
BBC 3 SS SC	3 Door SS Back Bar Cooler with Side Compressor	1690 x 600 x 900	390	2° to 8°C	230 V / 1 PH / 0.25 KW
GF 60	Glass Froster	600 x 600 x 850		0° to -10°C	230 V / 1 PH / 0.40 KW
GF 75	Glass Froster	750 x 600 x 850		0° to -10°C	230 V / 1 PH / 0.40 KW



Forced Draft Cooling



Digital Controller



Double Tempered Glass



LED Lighting



Adjustable Shelves



Slim Units



FASTER COOLING

- ❄ Small in size, big on performance with faster cooling.

HEIGHT CUSTOMIZABLE

- ❄ Height and dimensions customization possible.

COMPACT DESIGN

- ❄ Compact Design to fit the smallest of spaces.

FREEZER OPTION

- ❄ Options available for with or without freezer.



5 G



5 G

Perfectly equipped for smaller spaces. Designed and manufactured in multiple variants for all kinds of requirements.

Color Options:



Model	Dimensions (mm)	Capacity	Door Type	Operating Voltage
SG MB 50	450 x 470 x 500	45 L	Hard Front Door	230V, 50Hz, 1Ph
SG MB 100	450 x 484 x 824	88 L	Hard Front Door	230V, 50Hz, 1Ph

ALSO AVAILABLE IN GLASS DOOR

Ice Cube Machines





Our **FrostBite** series of compact ice cube machines are designed to deliver perfectly shaped ice cubes with precision and ease. Fully automatic and equipped with advanced sensors, these machines ensure hassle-free operation and consistent ice production. Ideal for small spaces, these machines combine efficiency and convenience, providing a steady supply of ice cubes in the distinctive dice shape, ready to elevate any beverage experience.

TECHNICAL SPECIFICATIONS:

- * Elegant Mix of a Sturdy Stainless Steel & Fibre Body
- * Eco-friendly & Energy Efficient R290 Refrigerant
- * Fully Automatic Operation & Cycle Switching
- * Inbuilt Ice Storage Bin
- * Dice Shaped Ice of 25mm
- * Cyclopentane PUF Insulation Providing Greater Energy Efficiency

Model	Title	Dimensions (mm)	Output	Bin Capacity	Electrical Rating
SG IC 40	Dice Shaped Ice Cube Machine	500 x 450 x 800	36 Kg/24Hr	15 Kg	230 V / 1 PH / 0.25 KW
SG IC 40 BW	Dice Shaped Ice Cube Machine (w/ Bottle Support)	500 x 450 x 800	36 Kg/24Hr	15 Kg	230 V / 1 PH / 0.25 KW
SG IC 60	Dice Shaped Ice Cube Machine	500 x 590 x 850	55 Kg/24Hr	18 Kg	230 V / 1 PH / 0.30 KW
SG IC 60 BW	Dice Shaped Ice Cube Machine (w/ Bottle Support)	500 x 590 x 850	55 Kg/24Hr	18 Kg	230 V / 1 PH / 0.30 KW
SG IC 100	Dice Shaped Ice Cube Machine	660 x 685 x 920	95 Kg/24Hr	36 Kg	230 V / 1 PH / 0.50 KW



Energy Efficient Design



Digital Controller



Dice Shaped Ice



Eco Friendly Refrigerant



Compact Size



9 G



9 G

Our **FrostBite** series of compact ice cube machines are designed to deliver perfectly shaped ice cubes with precision and ease. Fully automatic and equipped with advanced sensors, these machines ensure hassle-free operation and consistent ice production. Ideal for small spaces, these machines combines efficiency and convenience, providing a steady supply of ice cubes in the distinctive die shape, ready to elevate any beverage experience.

TECHNICAL SPECIFICATIONS:

- ❄️ Elegant Mix of a Sturdy Stainless Steel & Fibre Body
- ❄️ Eco-friendly & Energy Efficient R290 Refrigerant
- ❄️ Fully Automatic Operation & Cycle Switching

- ❄️ Inbuilt Ice Storage Bin
- ❄️ Bullet Shaped Ice of 25mm
- ❄️ Cyclopentane PUF Insulation Providing Greater Energy Efficiency

Model	Title	Dimensions (mm)	Output	Bin Capacity	Electrical Rating
SG IB 60	Bullet Shaped Ice Cube Machine	400 x 510 x 825	50 Kg/24Hr	15 Kg	230 V / 1 PH / 0.37 KW
SG IB 90	Bullet Shaped Ice Cube Machine	500 x 612 x 900	80 Kg/24Hr	25 Kg	230 V / 1 PH / 0.50 KW



Energy Efficient Design



Digital Controller



Bullet Shaped Ice



Eco Friendly Refrigerant



Compact Size



29

Our **IceTitans** series of large high-capacity ice cube machines are engineered to meet the demands of high-volume ice production. Equipped with advanced sensors, fully automatic functionality and large Ice Bins, these machines deliver a seamless ice-making experience with precision and reliability. Designed for commercial use, these machines ensure uninterrupted ice supply, making it perfect for busy restaurants, hotels, and event venues. With their robust construction and superior performance, these are the ultimate solution for those requiring large quantities of ice for their food and beverage operations.

TECHNICAL SPECIFICATIONS:

- ❄️ Elegant Mix of a Sturdy Stainless Steel & Fibre Body
- ❄️ Eco-friendly & Energy Efficient R290 Refrigerant
- ❄️ Fully Automatic Operation & Cycle Switching
- ❄️ Inbuilt Ice Storage Bin
- ❄️ Dice Shaped Ice of 28mm
- ❄️ Cyclopentane PUF Insulation Providing Greater Energy Efficiency

Model	Title	Dimensions (mm)	Output	Bin Capacity	Electrical Rating
SG IC 250	Die Shaped Ice Cube Machine	560 x 830 x 1720	220 Kg/24Hr	150 Kg	230 V / 1 PH / 1.00 KW
SG IC 350	Die Shaped Ice Cube Machine	760 x 830 x 1670	350 Kg/24Hr	220 Kg	230 V / 1 PH / 1.50 KW
SG IC 500	Die Shaped Ice Cube Machine	760 x 830 x 1820	460 Kg/24Hr	220 Kg	230 V / 1 PH / 1.80 KW
SG IC 1000	Die Shaped Ice Cube Machine	1220 x 830 x 2090	940 Kg/24Hr	460 Kg	230 V / 1 PH / 4.50 KW



Energy Efficient
Design



Digital
Controller



Dice
Shaped Ice



Eco Friendly
Refrigerant



Compact
Size

Chest Freezers



3 SS 4

Experience our **Sentinel** line of robust hard top chest freezers, built to withstand the rigors of commercial use. Engineered with a sturdy body construction and superior insulation, these freezers offer unmatched reliability and provide optimal preservation for your goods. These run on a refrigeration system with an eco friendly refrigerant and can meet all your retail, food service or storage needs.

TECHNICAL SPECIFICATIONS:

- ❄ Sturdy and Firm Construction
- ❄ Eco-friendly & Energy Efficient R290 Refrigerant
- ❄ Convertible Temperature Operation:
Can Be Used as Chiller or as Freezer
- ❄ Robust Hard Top with Solid Door Lids
- ❄ BEE Rating
- ❄ Cyclopentane PUF Insulation
Providing Greater Energy Efficiency

Model	Title	Dimensions (mm)	Capacity (L)	Temp Range	Electrical Rating
SG 300 DD HT	Double Door Hard Top Chest Freezer 330L	1105 x 715 x 850	330	-22° to 4°C	230 V / 1 PH / 0.16 KW
SG 400 DD HT	Double Door Hard Top Chest Freezer 440L	1395 x 710 x 850	440	-22° to 4°C	230 V / 1 PH / 0.24 KW
SG 500 DD HT	Double Door Hard Top Chest Freezer 550L	1685 x 715 x 845	550	-22° to 4°C	230 V / 1 PH / 0.29 KW



**Energy Efficient
Design**



**Dual Temperature
Operation**



**With
Lock**



**Eco Friendly
Refrigerant**



Discover the perfect solution for storing ice creams and frozen foods with our **Crystal** glass top chest freezers. Featuring a transparent top, these freezers offer a clear view of your products, making it easy for the operator and customer alike to browse and select products. With ample storage space and efficient cooling, our glass top chest freezers ensure that your frozen treats stay perfectly preserved and ready to enjoy.

TECHNICAL SPECIFICATIONS:

- ❄ Sturdy and Firm Construction
 - ❄ Glass Top with Sliding Door Lid
 - ❄ Convertible Temperature Operation: Can Be Used as Chiller or as Freezer
- ❄ Eco-friendly & Energy Efficient R290 Refrigerant
 - ❄ BEE Rating
 - ❄ Cyclopentane PUF Insulation Providing Greater Energy Efficiency

Model	Title	Dimensions (mm)	Capacity (L)	Temp Range	Electrical Rating
SG 300 SD GT	Sliding Door Glass Top Chest Freezer 315L	1105 x 682 x 800	315	-22° to 4°C	230 V / 1 PH / 0.18 KW
SG 400 SD GT	Sliding Door Glass Top Chest Freezer 420L	1395 x 682 x 800	420	-22° to 4°C	230 V / 1 PH / 0.25 KW
SG 500 SD GT	Sliding Door Glass Top Chest Freezer 525L	1685 x 682 x 800	525	-22° to 4°C	230 V / 1 PH / 0.30 KW



Energy Efficient
Design



Dual Temperature
Operation



With
Lock



Eco Friendly
Refrigerant

Blast Chillers & Freezers

Blast Chillers & Freezers

FlashFreeze



CO



CO

Our cutting-edge range of blast chillers and freezers is engineered to rapidly pull down the temperature of your products. Designed to meet the demands of professional kitchens, these freezers boast unparalleled capabilities in preserving food quality and freshness. Equipped with multiple programs and functionalities, our machines work on the principle of reducing the core temperature of your products.

TECHNICAL SPECIFICATIONS:

- ❄️ Sturdy Stainless Steel Construction
- ❄️ Designed to Operate at 43°C Ambient
- ❄️ Blast Chilling from +90 to +3°C in 90 Minutes
- ❄️ Blast Freezing from +90 to -18°C in 240 Minutes
- ❄️ Time & Temperature Based Refrigeration Cycles
- ❄️ 120mm Cyclopentane PUF Insulation Providing Greater Energy Efficiency
- ❄️ Automatic Defrost Cycle
- ❄️ High Efficiency Copper Heat Exchangers with Aluminium Fins
- ❄️ Condensate Water Auto Vaporiser

Model	Title	Dimensions (mm)	Capacity (GN 1/1 Trays of 65mm depth)	Chilling Capacity	Freezing Capacity	Electrical Rating
BC Mini	Counter Top Blast Chiller Cum Freezer	660 x 590 x 560	2	10 Kg	6 Kg	230 V / 1 PH / 0.75 KW
BC 20	Blast Chiller Cum Freezer	800 x 850 x 900	4	20 Kg	12 Kg	230 V / 1 PH / 1.25 KW
BC 30	Blast Chiller Cum Freezer	800 x 850 x 1400	6	30 Kg	20 Kg	230 V / 1 PH / 1.75 KW
BC 50	Blast Chiller Cum Freezer	850 x 950 x 1650	10	50 Kg	30 Kg	415 V / 3 PH / 2.75 KW
BC 100	Blast Chiller Cum Freezer	1200 x 1050 x 2050	20	100 Kg	60 Kg	415 V / 3 PH / 5.00 KW



Product Sensors



Digital Controller



Self Closing Doors



Ultra Low Air Temperature



High Energy Efficiency

Our large capacity roll-in blast freezers are designed for chilling and freezing products in bulk. These units seamlessly integrate with your kitchen operations and products can be rolled in on trolleys. Featuring incredibly powerful and efficient refrigeration systems, they excel in rapidly pulling down temperatures, ensuring freezing of your products core. From delicate pastries to bulk ingredients, our roll-in blast freezers offer unmatched performance, preserving food quality and freshness while meeting the demands of high-volume operations.



TECHNICAL SPECIFICATIONS:

- ❄ Designed to operate at 43°C ambient
- ❄ Blast Chilling from +90 to +3°C in 90 minutes
- ❄ Blast Freezing from +90 to -18°C in 240 minutes
- ❄ Time and Temperature based refrigeration cycles
- ❄ 120mm Cyclopentane PUF insulation providing greater energy efficiency
- ❄ Automatic defrost cycle
- ❄ High efficiency copper heat exchangers with aluminium fins
- ❄ Ramp to roll in trolleys
- ❄ Condensate water auto vaporiser

Model	Title	Dimensions (mm)	Chilling Capacity	Freezing Capacity	Electrical Rating
BC 200R	Roll In Blast Chiller Cum Freezer	1700 x 1300 x 2300	200 Kg	125 Kg	415 V / 3 PH / 7.50 KW
BC 400R	Roll In Blast Chiller Cum Freezer	1700 x 2400 x 2300	400 Kg	250 Kg	415 V / 3 PH / 14.00 KW
BC 600R	Roll In Blast Chiller Cum Freezer	1700 x 3500 x 2300	600 Kg	375 Kg	415 V / 3 PH / 20.50 KW
BC 800R	Roll In Blast Chiller Cum Freezer	1700 x 4600 x 2300	800 Kg	500 Kg	415 V / 3 PH / 27.00 KW



Product
Sensors



Digital
Controller



Self Closing
Doors




Ultra Low Air
Temperature



High Energy
Efficiency

Cold Rooms

Explore our range of modular cold rooms, designed with eco-friendliness, energy efficiency, and IoT connectivity in mind. We offer solutions tailored for cooling, holding, or freezing needs in industries such as food processing, horticulture, floriculture, pharmaceuticals, hospitality, QSR, poultry, seafood, fruits and vegetables, banana ripening, and mushroom cultivation chambers.



COLD ROOM STRUCTURE:

- ❄ Cutting-edge technology, robust construction, and versatile applications.
- ❄ Rigid Cyclopentane Foam Insulation
- ❄ Skin Finish: Pre-painted Galvanized Steel (PPGI) or Stainless Steel (SS 304)
- ❄ Insulation Thickness: 50mm to 200mm
- ❄ Classic and Premium Designs Available

Classic:

- ❄ Panel to Panel Joints: Camlock with silicon filling
- ❄ Wall to Ceiling and Wall to Floor Joints: Flashings and riveting

Premium:

- ❄ Panel to Panel Joints: Camlock with gasket
- ❄ Wall to Ceiling and Wall to Floor Joints: Camlock with gasket
- ❄ 100% modular, leak-proof, and rapid installation.

DOORS:

- ❄ Aesthetically designed, factory-built, and tested Cold Room doors available in standard and customized sizes.
- ❄ Swing Type (self-closing or push to close)

ON DEMAND:

- ❄ Covings, Door Kick Plate, Strip Curtains
Hatch Window, Air Curtain



OUR SMART TECHNOLOGY:

Mobile Operation:

- ❄ Remote monitoring and control from IOS, Android, and PC.

Built-In Data Logger:

- ❄ Records data, including temperatures and events.

Defrost:

- ❄ Prevents unnecessary cycles, even during power outages.

Preventive Maintenance:

- ❄ Monitors compressor runtime and sends maintenance alerts.

Cooling Control:

- ❄ Adjusts cooling loads for efficiency.

Air Circulation:

- ❄ Maintains uniform temperature with periodic air circulation.


Model	Title	Dimensions (mm)	Temperature Range	Electrical Rating
WIC 181824	Walk in Chiller 6 ft x 6 ft	1800 x 1800 x 2400	2 to 6 deg C	230 V / 1 PH / 1.4 KW
WIC 241824	Walk in Chiller 8 ft x 6 ft	2400 x 1800 x 2400	2 to 6 deg C	230 V / 1 PH / 1.6 KW
WIC 242424	Walk in Chiller 8 ft x 8 ft	2400 x 2400 x 2400	2 to 6 deg C	230 V / 1 PH / 1.8 KW
WIC 243024	Walk in Chiller 10 ft x 8 ft	3000 x 2400 x 2400	2 to 6 deg C	230 V / 1 PH / 2.0 KW
WIC 302424	Walk in Chiller 10 ft x 10 ft	3000 x 3000 x 2400	2 to 6 deg C	230 V / 1 PH / 2.2 KW
WIF 181824	Walk in Freezer 6 ft x 6 ft	1800 x 1800 x 2400	-22 to -18 deg C	230 V / 1 PH / 1.6 KW
WIF 182424	Walk in Freezer 8 ft x 6 ft	2400 x 1800 x 2400	-22 to -18 deg C	230 V / 1 PH / 1.8 KW
WIF 242424	Walk in Freezer 8 ft x 8 ft	2400 x 2400 x 2400	-22 to -18 deg C	230 V / 1 PH / 2.4 KW
WIF 243024	Walk in Freezer 10 ft x 8 ft	3000 x 2400 x 2400	-22 to -18 deg C	230 V / 1 PH / 2.5 KW
WIF 303024	Walk in Freezer 10 ft x 10 ft	3000 x 3000 x 2400	-22 to -18 deg C	230 V / 1 PH / 2.7 KW



ZOAM9 PGZZ ZOGGP

STAINLESS STEEL 304

- * 8% nickel, top-grade 304 stainless steel with electropolishing
- * Addresses the most aggressive applications and environments
- * Exists for high temperature automated cart wash and autoclave applications
- * The available sizes in inches (L x W x H) are:


18 x 30 x 74	18 x 36 x 74	18 x 48 x 74	21 x 36 x 74
21 x 48 x 74	24 x 36 x 74	24 x 48 x 74	Optional: Stem Casters 



DT PT YGE GUT DT AOM9 I
MOL M9 D3 SE GYS GAOL

COLORED EPOXY COATING WITH ZINC UNDERNEATH

- * Epoxy finish is phosphatized before epoxy coating for dry, low humidity environments, available exclusively in green
- * Antimicrobial additive could be added to the finish to keep the product clean
- * Extra Zinc undercoating could be made before epoxy coating to achieve a corrosion resistant finish for wet or high humidity environments
- * The available sizes in inches (L x W x H) are:


18 x 30 x 74	18 x 36 x 74	18 x 48 x 74	21 x 36 x 74
21 x 48 x 74	24 x 36 x 74	24 x 48 x 74	Optional: Stem Casters 



DL YTR GUPAOM9 I

CHROME PLATING

- * Copper-Nickel-Chrome finishes for dry, low humidity environments
- * The available sizes in inches (L x W x H) are:

18 x 30 x 74	18 x 36 x 74	18 x 48 x 74	21 x 36 x 74
21 x 48 x 74	24 x 36 x 74	24 x 48 x 74	Optional: Stem Casters 

Hot Holding Cabinets



H

Our stainless steel hot holding cabinets are the ultimate solution for keeping food warm and ready-to-serve after cooking. Crafted with durable stainless steel, these cabinets ensure long-lasting performance and can be transported seamlessly within kitchen areas, hotels, and banquet facilities.

Equipped with advanced digital controllers and precise temperature control, they maintain food at the perfect serving temperature, preserving flavor and texture.

TECHNICAL SPECIFICATIONS:

- * Ventilated Heating for Uniform Heating
- * Sturdy Stainless Steel Construction
- * Cyclopentane PUF Insulation Providing Greater Energy Efficiency
- * Anti-Corrosive Wire Shelves
- * Bumper Guards for Safety
- * Ledges for GN Pans and Trays

Model	Title	Dimensions (mm)	Capacity	Temp Range	Electrical Rating
HHC 12G21	Single Door Hot Holding Cabinet	745 x 880 x 1600	12 GN 2/1	30° to 80°C	230 V / 1 PH
HHC 16G21	Single Door Hot Holding Cabinet	745 x 880 x 1900	16 GN 2/1	30° to 80°C	230 V / 1 PH
HHC 24G21	Two Door Hot Holding Cabinet	1430 x 880 x 1600	24 GN 2/1	30° to 80°C	230 V / 1 PH
HHC 32G21	Two Door Hot Holding Cabinet	1430 x 880 x 1900	32 GN 2/1	30° to 80°C	230 V / 1 PH



Digital
Controller



Self Closing
Doors



With
Lock



GN
Compatible



Castor
Wheels

Counter Top and Drop in Equipment

Counter Top & Drop in Equipment

We can provide a range of custom drop-in and counter top refrigeration equipment, including frost tops and cold pans, designed to enhance display and buffet areas while ensuring food remains consistently cold. Perfectly suited for showcasing chilled delicacies, these machines offer elegant aesthetics and reliable refrigeration to maintain optimal temperatures for prolonged periods. Whether it's refreshing salads, chilled desserts, or cold hors d'oeuvres, our drop-in refrigeration equipment keeps your offerings fresh and inviting, ensuring a memorable dining experience for your guests.

Description	
Customization	Can be customized to size and shapes as desired.
Insulation	Polyurethane foamed-in-place injection for uniformity and high structural strength.
Construction	Stainless steel with PU foamed-on-place insulation.
Top Surface	White Marble frost top with various colors of marble available.
Refrigeration System	Self-contained, drop-in system with a multifunction digital controller.
Ventilation	Requires ventilation for under-counter space and external drain.
Controller	Multi-function microprocessor controller with digital temperature display.
Refrigerant	R-134a
Temperature Range	Chiller unit maintains 2 °C to 5 °C.



Head Office

1st Floor, A-2, The Aster Centre, Naraina Industrial Area Phase 2,
Naraina, New Delhi, Delhi, 110028

Mumbai Office

2nd Floor, 202, Twin Complex 1 and 2, Marol Maroshi Road, Marol Naka,
Mumbai, Mumbai Suburban, Maharashtra, 40059

Bangalore Office

1st Floor, 1015, 3rd Cross, 13th Main, HAL 2nd Stage, Indira Nagar,
Bangalore, 560008

Manufacturing Unit

A-17, Sector A-3, Loni, Tronica City Industrial Area, Ghaziabad, Uttar
Pradesh, 201102

Mumbai Warehouse

Ground, A&B Warehouse, Global Complex, Gopika Vishnu Compound,
Mumbai Nashik, Thane, Maharashtra, 421302

Gurugram Warehouse

26/23. 25/1, 25/2, 26/16/2/2, Kila No. 5, Revenue Estate of Village Jauri
Khurd, Pataudi, Gurugram, Haryana, 122503

Chennai Warehouse

104, Polivakkam Village, Sriperumpudur, Thiruvallur High Way,
Thiruvallur District, Chennai, Tamil Nadu, 602002

Contact Us

+91-9599220314 / +91-9650201479 / +91-11-43157331
salescorporate@stellargastronom.com
sales_ncr@stellargastronom.com

Website

www.stellargastronom.com